		t	in	
	Application No.	Applicant(s)		
Notice of Allowability	09/629,618	KARASAWA MITS	KABASAWA, MITSUAKI	
	Examiner	Art Unit	T	
	Bernard E Souw	2881		
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSE[) or other appropriate com IGHTS. This application i) in this application. If not includ munication will be mailed in due	led course. THIS	
1. This communication is responsive to Response dated June	<u>е 30, 2003</u> .			
2. The allowed claim(s) is/are 1-24.				
3. The drawings filed on 31 July 2000 are accepted by the Examiner.				
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 				
 Certified copies of the priority documents have 	e been received.			
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of	f this communication to file	e a reply complying with the requ		
7. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			NOTICE OF	
8. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing of	son's Patent Drawing Rev		Examiner.	
(c) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).				
9. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT FOR T			Note the	
Attachment(s)				
1☐ Notice of References Cited (PTO-892)	5☐ Notice of I	nformal Patent Application (PTC)-152)	
 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No. 	6⊠ Interview S	Summary (PTO-413), Paper No.	<u>1122a</u> .	
	3), 7⊠ Examiner's	s Amendment/Comment		
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material		s Statement of Reasons for Allovendment dated 06/30/2003.	wance	

Application/Control Number: 09/629,618

Art Unit: 2881

DETAILED ACTION

Applicant's Amendments

1. The Amendment C, Paper No. 12, previously filed on June 30, 2003, but was not entered, now faxed directly to the Examiner on 11/102003, has been entered. The present Office Action is made with all the suggested amendments being fully considered.

Ex-Parte Quayle Action Closed

2. Claim(s) 7 and 24, and a part of the specification having been properly amended, the previous Ex-Parte Quayle action dated 04/30/2003 is now closed.

ALLOWANCE

Claims 1-24 are allowed.

Reasons for Allowance

4. The following is an examiner's statement of reasons for allowance:

In an ion implantation apparatus and method, a method of keeping energy contamination below a desired level, which is not directly measurable, by controlling the beam transport efficiency, which is directly measurable, based on a previously measured inverse proportionality between energy contamination and beam transport efficiency, have not been anticipated or rendered obvious by any prior art.

Application/Control Number: 09/629,618

Art Unit: 2881

5. Any comments considered necessary by applicant must be submitted no

Page 3

later than the payment of the issue fee and, to avoid processing delays, should

preferably accompany the issue fee. Such submissions should be clearly labeled

"Comments on Statement of Reasons for Allowance."

Communications

6. Any inquiry concerning this communication or earlier communications from

the examiner should be directed to Bernard E Souw whose telephone number is

703 305 0149. The examiner can normally be reached on Monday thru Friday,

9:00 am to 5:00 pm..

If attempts to reach the examiner by telephone are unsuccessful, the

examiner's supervisor, John R Lee can be reached on 703 308 4116. The

central fax phone number for the organization where this application or

proceeding is assigned is (703) 872-9306 for regular communications as well as

for After Final communications.

Any inquiry of a general nature or relating to the status of this application

or proceeding should be directed to the receptionist whose telephone number is

703 308 0956.

bes

November 22, 2003

SUFTRICEN PATERT EVAN TALLA